

Gr	Eco	Eco Plus	S13	S14	S16	S20	S14F	Kappa	Kappa 3	FL1	FL2	Pivot	Arch
Ελάχιστες διαστάσεις	920 x 2050	750 x 1950	500 x 1950	500 x 1950	500 x 1950	500 x 1850	800 x 1850	500 x 1950	500 x 1950	500 x 1950	500 x 1850	1200 x 2000	500 x 1950
Μέγιστες διαστάσεις	1020 x 2200	1100 x 2250	1400 x 3000	1400 x 3000	1400 x 3000	1400 x 3000	1100 x 2400	1250 x 3000	1250 x 3000	1400 x 3000	1400 x 3000	1950 x 3000	1400 x 3000
Δυνατότητα ελεύθερων διαστάσεων	X	●	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
"Αυτί" βασικής κάσας πλευρικά	20mm	20mm	12mm	12mm	12mm	12mm	0mm	0mm	0mm	0mm	0mm	0mm	12mm
"Αυτί" βασικής κάσας κεφαλάρι	53mm	53mm	12mm	12mm	12mm	12mm	0mm	0mm	0mm	0mm	0mm	0mm	12mm
Πάχος θυροφύλλου	72mm	72mm	77mm	77mm	77mm	77mm	77mm	74mm	74mm	87mm	104mm	95mm	73mm
Πάχος γαλβανιζέ λαμαρίνας θυροφύλλου	2*0,6	2*0,6	2*0,8	2*0,8	2*0,8	3*0,8	2*0,8	2*0,8	2*0,8	2*0,8	2*0,8	2*0,8	2*0,8
Πάχος λαμαρίνας κάσας	1,5mm	1,5mm	2mm	2mm	2mm	2mm	2mm	2mm	2mm	2mm	2mm	2mm	2mm
Γαλβανιζέ κάσα	X	●	●	●	●	●	●	●	●	✓	✓	✓	●
Χρώμα κάσας μαύρο	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Χρώμα κάσας RAL	X	●	●	●	●	●	●	●	●	●	●	●	●
Έξτρα θωράκιση 1.25χιλ	X	X	X	●	●	●	X	X	X	X	X	X	X
Αλεξίσφαιρη θωράκιση θυροφύλλου STARK (HARDOX 4mm)	X	X	X	●	●	●	X	X	X	X	X	X	X
Δίφυλλη	X	X	●	●	●	●	X	●	●	●	●	X	●
Σταθερά με τζάμι	X	●	●	●	●	●	X	X	●	●	●	●	●
Σταθερά τυφλά	X	●	●	●	●	●	X	●	X	●	●	●	●
Σταθερά συνεπίπεδα έξω	X	●	●	●	●	●	X	●	●	X	●	●	X
Σταθερά συνεπίπεδα μέσα-έξω	X	X	X	X	X	X	X	X	●	X	X	●	X
Κλειδαριά SECUREMME τρίστροφη	✓	●	✓	●	●	●	✓	●	●	X	X	X	●
Κλειδαριά ISEO Γραναζωτή	X	✓	●	✓	✓	✓	●	✓	✓	✓	✓	✓	✓
Κλειδαριά MOTTURA 3D Key	X	●	●	●	●	●	●	●	●	●	●	●	●
Ηλεκτρική κλειδαριά CISA	X	●	●	●	●	●	X	●	●	X	X	X	●
Ηλεκτρική κλειδαριά ISEO LIGHT	X	X	X	X	X	X	X	X	X	●	●	●	X
Ηλεκτρομηχανική Κλειδαριά ISEO X1R Easy/Smart	X	X	●	●	●	●	X	●	●	●	●	●	●
Ηλεκτρικό κυπρί με κλειδαριά SEC τρίστροφη	●	●	●	●	●	●	X	●	●	●	●	X	●

Gr	Eco	Eco Plus	S13	S14	S16	S20	S14F	Kappa	Kappa 3	FL1	FL2	Pivot	Arch
Ηλ. Κυπρί με κλειδαριά ISEO Γραναζωτή	●	●	●	●	●	●	✗	●	●	●	●	✗	●
Κλειδαριά με μπάρα πανικού	✗	●	●	●	●	●	●	●	●	✗	✗	✗	●
Κύλινδρος SECUREMME K22	✓	●	✓	●	●	●	✓	●	●	✗	✗	✗	●
Κύλινδρος ISEO R6 PLUS	●	✓	●	✓	✓	✓	●	●	●	✗	✗	✗	✓
Κύλινδρος ISEO R7	●	●	●	●	●	●	●	✓	✓	✓	✓	✓	●
Κύλινδρος διπλής λειτουργίας ISEO R11 PROGRESS	●	●	●	●	●	●	●	●	●	●	●	●	●
Κύλινδρος MOTTURA CHAMPIONS PRO	●	●	●	●	●	●	●	●	●	✗	✗	✗	●
Σημεία Κλειδώματος	12	18	13	14	16	20	14	13	7	14	14	8	13
Κινητά Σημεία Κλειδώματος	7	13	7	8	10	14	8	7	7	8	8	8	6
Τύπος Σημείων Κλειδώματος	Μονά	Τετραπλά	Μονά	Μονά	Διπλά	Τετραπλά	Μονά	Μονά	Μονά	Μονά	Μονά	Διπλά	Μονά
Σημεία Κλειδώματος Δαγκάνες	✗	✗	●	●	●	●	✗	●	●	●	●	✗	●
Μπλοκ Ασφαλείας Περιτροφικό	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✓
Έξτρα Κλειδώμα	✗	●	●	●	●	●	●	●	●	●	●	✗	✗
Μεντεσέδες	2	2	2	2	2	3	2	2	2	2	2	n/a	2
Ρύθμιση μεντεσέδων καθ' ύψος	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Ρύθμιση μεντεσέδων οριζόντια	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Ρύθμιση μεντεσέδων μέσα-έξω	✗	✗	✗	✗	✗	✗	✗	✓	✓	✗	✗	✗	✗
Μπράσο επαναφοράς εξωτερικό	●	●	●	●	●	●	●	●	●	●	●	✗	✗
Μπράσο επαναφοράς χωνευτό	✗	✗	●	●	●	●	●	●	●	●	●	●	✗
Ματάκι	✓	✓	✓	✓	✓	✓	✗	✓	✓	●	●	●	✓
Ηλεκτρονικό ματάκι οθόνη	●	●	●	●	●	●	✗	●	●	✗	✗	✗	●
Μόνωση πετροβάμβακα	✗	●	●	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Ανεμοφράκτης	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Σιδερένιο κατωκάσι	✗	✗	●	●	●	●	✓	●	●	✗	✗	✗	●
Κατωκάσι αλουμινίου C 64x15	●	●	●	●	●	●	✗	●	●	✗	✗	✗	●

Gr	Eco	Eco Plus	S13	S14	S16	S20	S14F	Kappa	Kappa 3	FL1	FL2	Pivot	Arch
Νεροσταλλάκτης C	●	●	●	●	●	●	●	●	●	✗	✗	✗	●
Κατωκάσι PIVOT 71x9	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	●	✗
Κατωκάσι & Νεροσταλλάκτης U	✗	✗	✗	●	●	●	✗	✗	●	✗	✗	✗	●
Χωνευτή λαβή POLIS Ρηχή	●	●	●	●	●	●	●	●	●	●	●	●	✗
Χωνευτή λαβή POLIS	✗	✗	●	●	●	●	✗	●	●	●	●	●	✗
Χωνευτή λαβή ICON	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	●	✗
Χωνευτή λαβή SECRET	✗	✗	●	●	●	●	✗	●	●	●	●	●	✗
Χωνευτό χερούλι-χούφτα ELXIS	✗	●	●	●	●	●	●	●	●	●	●	●	●
Χωνευτό χερούλι-χούφτα ELXIS σε συνδυασμό με χωνευτή λαβή	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
Χερούλι Αλουμινίου	✓	✓	✓	●	●	●	✓	●	●	●	●	●	●
Χερούλι Praga ή 1495	●	●	●	✓	✓	✓	●	✓	✓	✓	✓	●	✓
Χερούλι 2145	●	●	●	●	●	●	●	●	●	●	●	✓	●
Κάσα Eco	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
Κάσα S	✗	✗	✓	✓	✓	✓	✓	✗	✗	✗	✗	✗	✓
Κάσα S FRANCE	✗	✗	●	●	●	●	●	✗	✗	✗	✗	✗	✗
Κάσα S TETRAGON	✗	✗	●	●	●	●	●	✗	✗	●	✓	✗	●
Κάσα TETRAGON FRANCE	✗	✗	●	●	●	●	●	✗	✗	✓	●	✗	✗
Κάσα RENO	✗	✗	●	●	●	●	✗	✗	✗	✗	✗	✗	✗
Κάσα KAPPA	✗	✗	✗	✗	✗	✗	✗	✓	✓	✗	✗	✗	✗
Κάσα PIVOT	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✓	✗
Διακοσμητική κάσα E97X	●	●	●	●	●	●	●	✗	✗	✗	●	✗	✗
Διακοσμητική κάσα E127X	●	●	●	●	●	●	●	●	●	✗	●	✗	✗
Εξωτερικά περβάζια 62x75	●	●	●	●	●	●	●	✗	✗	✗	●	✗	✗
Εξωτερικά περβάζια 62x95	✗	✗	✗	✗	✗	✗	✗	●	●	✗	✗	✗	✗
Εξωτερικά περβάζια E97	●	●	●	●	●	●	●	✗	✗	✗	●	✗	●

Gr	Eco	Eco Plus	S13	S14	S16	S20	S14F	Kappa	Kappa 3	FL1	FL2	Pivot	Arch
Εξωτερικά περβάζια E127	●	●	●	●	●	●	●	●	●	✗	●	✗	✗
Εξωτερικά περβάζια ME77	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	●	✗
Εξωτερικά-Εσωτερικά περβάζια ME120	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	●	✗
Εσωτερικά περβάζια M60	●	●	●	●	●	●	●	●	✗	●	●	✗	●
Εσωτερικά περβάζια M90	✗	✗	✗	✗	✗	✗	✗	●	✗	✗	✗	✗	✗
Εσωτερικά περβάζια M97	●	●	●	●	●	●	●	●	✗	●	●	✗	●
Εσωτερικά περβάζια ME97	✗	✗	✗	✗	✗	✗	✗	✗	●	✗	✗	●	✗
Εσωτερικά περβάζια ME9.7.5	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	●	✗
Πηγάκι φύλλου σιδερένιο	✓	✓	✗	✗	✗	✗	✓	✗	✗	✓	✓	✗	✗
Πηγάκι φύλλου M35 & 2ο λάστιχο	●	●	✓	✓	✓	✓	●	✗	✗	✗	✗	✗	✗
Πηγάκι φύλλου αλουμινίου & λάστιχο	✗	✗	●	●	●	●	●	✓	✓	✗	✗	✓	✗
Ενιαίο πηγάκι με ταμπλά	●	●	●	●	●	●	●	✗	✗	✗	✗	✗	●
Ένθετο Τζάμι SABA	✗	✗	●	●	●	●	✗	●	●	●	✗	✗	●
Ένθετο Τζάμι SABA XL	✗	✗	●	●	●	●	✗	●	●	●	✗	✗	✗
Ένθετο Τζάμι SB5-DS	✗	✗	●	●	●	●	✗	●	●	✗	✗	✗	✗
Ένθετο Τζάμι SB5-DTH	✗	✗	●	●	●	●	✗	●	●	✗	✗	✗	✗
Ένθετο Τζάμι SB5	✗	✗	●	●	●	●	✗	●	●	✗	✗	✗	✗
Ένθετο Τζάμι SABA KH	✗	✗	●	●	●	●	✗	●	●	✗	✗	✗	✗
Πιστοποίηση αντιδιάρρηξης	n/a	-	-	RC3	RC3	RC3	RC3	-	-	-	-	-	-
Πιστοποίηση θερμομόνωσης	-	-	-	U=1,3	U=1,3	U=1,3	-	-	-	-	-	-	-
Πιστοποίηση ηχομείωσης	-	-	-	37db	37db	37db	-	-	-	-	-	-	-
Πιστοποίηση πυρασφάλειας	-	-	-	-	-	-	EI 45	-	-	-	-	-	-

Το εργοστάσιο διατηρεί το δικαίωμα να αλλάξει τον εξοπλισμό των προϊόντων χωρίς ενημέρωση.
Ένα ενημερωμένο έγγραφο εξοπλισμού είναι διαθέσιμο διαδικτυακά στην ιστοσελίδα της εταιρείας
www.sabadoor.com

Βασικός Εξοπλισμός ✓

Πρόσθετος Εξοπλισμός ●

Ασύμβατος Εξοπλισμός ✗